

ONTO-DESIDE GA NUMBER: 101058682



DELIVERABLE

D4.6: OPEN CIRCULARITY PLATFORM - V.3

Deliverable number	D4.6
Deliverable name	Open circularity platform - v.3
Work package	WP4
Lead partner	IMEC
Contributing partners	LIU, CIRC, FAS
Deadline	2024-12-31
Dissemination level	Public
Date	2024-12-31



Funded by
the European Union

PROJECT INFORMATION

Project summary

Circular economy aims at reducing value loss and avoiding waste, by circulating materials or product parts before they become waste. Today, lack of support for sharing data in a secure, quality assured, and automated way is one of the main obstacles that industry actors point to when creating new circular value networks. Together with using different terminologies and not having explicit definitions of the concepts that appear in data, this makes it very difficult to create new ecosystems of actors in Europe today. This project will address the core challenges of making decentralized data and information understandable and usable for humans as well as machines. The project will leverage open standards for semantic data interoperability in establishing a shared vocabulary (ontology network) for data documentation, as well as a decentralized digital platform that enables collaboration in a secure and privacy-preserving manner.

The project addresses a number of open research problems, including the development of ontologies that need to model a wide range of different materials and products, not only providing vertical interoperability but also horizontal interoperability, for cross-industry value networks, as well as transdisciplinary research on methods to find, analyze and assess new circular value chain configurations opened up by considering resource, information, value and energy flows as an integral part of the same complex system. Three industry use cases, from radically different industry domains, act as drivers for the research and development activities, as well as test beds and demonstrators for the cross-industry applicability of the results. The developed solutions will allow for automation of planning, management, and execution of circular value networks, at a European scale, and beyond. The project thereby supports acceleration of the digital and green transitions, automating the discovery and formation of new collaborations in the circular economy.

Project start date and duration

1st of June 2022, 36 months

Project consortium

No	Partner	Abbreviation	Country
1	Linköping University	LiU	Sweden
2	Interuniversitair Micro-Electronica Centrum	IMEC	Belgium
3	Concular Ug Haftungsbeschränkt	CON	Germany
4	+Impakt Luxembourg Sarl	POS	Luxembourg
5	Circularise Bv	CIRC	The Netherlands
6	Universitaet Hamburg	UHAM	Germany
7	Circular.Fashion Ug (Haftungsbeschränkt)	FAS	Germany
8	Lindner Group Kg	LIN	Germany
9	Ragn-Sells Recycling Ab	RS	Sweden
10	Texon Italia Srl	TEXON	Italy
11	Rare Earths Industry Association	REIA	Belgium
12	Prague University of Economics and Business	VSE	Czech Republic



Document reference

Project acronym	Onto-DESIDe			
Programme	Horizon Europe			
Grant agreement number	101058682			
Project URL	https://ontodeside.eu/			
EU Project Officer	Giuseppina LAURITANO			
Project Coordinator	Name	Eva Blomqvist	Phone	+46 13 28 27 72
	E-mail	eva.blomqvist@liu.se	Phone	
Project Manager	Name	Svjetlana Stekovic	Phone	+46 13 28 69 55
	E-mail	svjetlana.stekovic@liu.se	Phone	+46 701 91 66 76
Deputy PC	Name	Olaf Hartig	Phone	+46 13 28 56 39
	E-mail	olaf.hartig@liu.se	Phone	
Deliverable name	Open Circularity Platform – v.3			
Deliverable number	D4.6			
Deliverable version	V2.2			
Deliverable nature	Software			
Dissemination level	Public			
Due date	M31			
Delivery date	2024-12-30			
Keywords	Digital twin, Ontology, Open Circularity platform, Architecture, Software, Open-source			

Document change log

Version	Date	Description	Authors	Checked by
1.0	20/11/2024	First version	Els de Vleeschauwer, Gertjan De Mulder, Ben De Meester, Maria Leon, Teresa Oberhauser	Caroline Braus
2.0	18/12/2024	Second version	Els de Vleeschauwer, Gertjan De Mulder, Ben De Meester, Maria Leon, Teresa Oberhauser	

2.1	19/12/2024	Submitted version	Els de Vleeschauwer, Gertjan De Mulder, Ben De Meester, Maria Leon, Teresa Oberhauser	Eva Blomqvist
2.2	28/12/2024	Final version	Ben De Meester	Eva Blomqvist

Document approval

Version	Date	Name	Role in the project	Beneficiary
2.1	19/12/2024	Caroline Braus	Partner	Concular

Table of Content

1	Summary	6
2	Introduction	7
2.1	Objectives and Research Methodology	8
2.1.1	<i>Objectives</i>	8
2.1.2	<i>Research Methodology</i>	8
2.2	Tasks and Deliverables	9
2.3	Introduction to deliverable	9
3	Open Circularity Platform	9
4	Blockchain-based data communication system	10
4.1	Blockchain-based system characteristics	10
4.2	Required criteria of software for the Onto-DESIDE project.	11
4.3	The software developed	12
4.4	Public Blockchain Verifiability	14
5	User stories	15
5.1	Setup	15
5.2	Features	15
5.2.1	<i>Flexible support for heterogeneous systems</i>	15
5.2.2	<i>Access Control</i>	16
5.2.3	<i>Verifiability</i>	17
5.2.4	<i>Scalable queries</i>	17
	Custom queries	17
	Templated queries	18
	Source index	18
5.2.5	<i>User-friendly view interface</i>	19
6	Demonstration	20
7	Changes with respect to D4.5	21

1 Summary

In this deliverable, we released

- i) a third version of the Open Circularity Platform's implementation and documentation, available at <https://github.com/KnowledgeOnWebScale/open-circularity-platform> (specifically, the v0.3.2 release at <https://github.com/KnowledgeOnWebScale/open-circularity-platform/releases/tag/v0.3.2>); and
- ii) a second version of the generic data viewer, available at <https://github.com/SolidLabResearch/generic-data-viewer-react-admin> (specifically, v1.4.1 release at <https://github.com/SolidLabResearch/generic-data-viewer-react-admin/releases/tag/v1.4.1>); and
- iii) a first version of extensions of RDF mapping language (RML) to support permissioned data sharing, available at <https://rml.io/specs/access/httprequest> and <https://rml.io/specs/target/dynamictarget> (specifically, the December 12 2024 releases at <https://rml.io/specs/access/httprequest/20241212/> and <https://rml.io/specs/target/dynamictarget/20241212/>, respectively), implemented in RMLMapper, available at <https://github.com/RMLio/rmlmapper-java> (specifically, the v7.2.0 release at <https://github.com/RMLio/rmlmapper-java/releases/tag/v7.2.0>).

Updates to the Open Circularity Platform include the deployment of three evaluation scenarios, available at <https://onto-deside.ilabt.imec.be/viewer>, showcasing the practical viability of the platform in a domain-specific (resp. construction, electronics, and textile) setting. The three evaluation scenarios and their results are described and discussed in [deliverable 6.8](#).

The generic data viewer updates include the addition of indirect query sources with link traversal over index files, the addition of indirect query parameters for templated queries, the addition of custom queries, layout improvements and bug fixes.

Additionally, this deliverable contains a description of the complementary public Digital Product Passport (pDPP) platform, developed by Circularise, showcasing how a DPP can be deployed in industry. The release of the source code of the pDPP is not part of this deliverable.

2 Introduction

Semantic interoperability of data is one of the biggest barriers towards data sharing in the Circular Economy. Onto-DESIDE aims to provide the technical foundations for information flows that will transform European Industry towards a Circular Economy, by means of digitalisation and data sharing. The project leverages a decentralized digital platform that enables collaboration in a secure manner. This allows for automation of discovery, planning, management, and execution of cross-industry circular value networks, at a European scale and beyond. Combined with access control policies for data privacy and confidentiality, automation is enabled whilst protecting company-internal data, and allows data sharing to happen at the right level of granularity.


This project will develop at its basis a technology for allowing data sharing about materials and products at a global scale. Since access to verifiable information is central, the project will use well-established open standards for secure data and information sharing. As ownership and storage of data should remain with the actor that produces the data, a decentralized approach is necessary. Metadata and structures for transforming data into information (semantic descriptions and vocabularies) will be open, and comply with FAIR principles, to enable the highest possible degree of semantic interoperability and automation in data sharing. For sensitive data, methods allowing for proof of the existence of the data will be used, where these proofs can be shared while the actual data is kept private.

Further, this interdisciplinary project will also develop integrated tools and methods for further enhancing a Circular Economy. Although the importance of various ‘flows’ – resource flows (the various forms resources can take along their journey, e.g. material, component, product), information flows, energy flows, and value flows – has been widely acknowledged within the transformation to a Circular Economy, they have not been integrated or linked into a single framework or approach. Without such integration or linking it is not possible to make robust designs of circular value networks and to implement and operate value network coordination within industry.

The Onto-DESIDE project applies an iterative methodology, where research and innovation are driven by industry needs identified in a set of industry use cases, and solutions become more mature with each iteration. Three project use cases representing three distinct industry sectors – construction, electronics and appliances, and textile – will contribute to identify the needs and technical requirements of the Open Circularity Platform, but also act as test beds and evaluation scenarios for the novel solutions produced. This way, the project aims to show that the Open Circularity Platform is concrete enough to solve specific problems (i.e., the three specific use cases) but also has potential to be widely applied.

The project consists of three iterations, where each technical Work Package (WP) contributes to all the iterations. The WP dependencies are illustrated in Figure 1 where the details of the first project iteration are shown. The duration of the first project iteration is Month (M) 1-18, while the second and third iterations are shorter (M19-27 and M28-36 respectively). Each iteration ends with a collection of feedback from the industry use cases, analyzed and reported in a WP6 evaluation report.

FIGURE 1- PROJECT OUTLINE AND DETAILED DEPENDENCIES BETWEEN WORK PACKAGES EXEMPLIFIED BY THE FIRST ITERATION



2.1 Objectives and Research Methodology

2.1.1 Objectives

Today, lack of support for sharing data in a secure, quality-assured, and automated way is one of the main obstacles that industry actors point to when attempting to create new circular value chains.

Work package 4 (WP4) will contribute to an open decentralized digital platform that enables secure collaboration. This includes supporting the correct enforcement of access control policies, as well as using verifiable credentials to prove the existence of sensitive data instead of publishing or sharing this sensitive data. The outcome of the WP will be an Open Circularity Platform, i.e., an open framework for secure and privacy-preserving digital and automated data sharing, which enables verifiable, traceable, and decentralized sharing of data expressed and documented using the ontologies from WP3, within and across industry domains.


2.1.2 Research Methodology

The concrete research process of the Onto-DESIDE project has been divided into three iterations, each divided in 3 steps (cf. Figure 2):

- Step 1: analysis of needs and elicitation of requirements,
- Step 2: research and technical development, including solution integration into a coherent prototype, and
- Step 3: use case-based observation and evaluation, providing feedback as well as revised and extended needs and requirements to start off the next iteration.

Specifically, for WP4, the focus is the technical development of the Open Circularity Platform, adhering to the technical requirements as put forward in WP2. For this, a new method will be devised to set-up decentralized networks of data vaults and actors.

FIGURE 2 DIAGRAM VISUALISING THE WORKFLOW OF WP4 AND THE RELATED ARTEFACTS



2.2 Tasks and Deliverables

WP4 is led by IMEC and is divided into five tasks, each related to the objectives of the work package. These tasks are outlined below:

- T4.1 - Data transformation - lead: IMEC, participants: CIRC
- T4.2 - Retrieving public and private data - lead: IMEC, participants: LIU
- T4.3 - Verifiable statements and credentials - lead: IMEC, participants: LIU, CIRC
- T4.4 - Blockchain-based implementation - lead: CIRC, participants: IMEC
- T4.5 - Querying data - lead: IMEC, participants: LIU, FAS

Two deliverables are to be produced for WP4 during the project:

- D4.1, D4.2, D4.3 Digital twin concept design, including ontology-based data sharing platform architecture and methodology (v1 M9, v2 M24, v3 M33) - report
- D4.4, D4.5, D4.6, D4.7 Open circularity platform (v1 M10, v2 M22, v3 M31, v4 M33) - software

This document constitutes the report for deliverable D4.6 and aims to describe the Open Circularity Platform featuring the digital twin concept design, including ontology-based data sharing platform architecture and methodology as discussed in deliverable D4.1. In this deliverable, we implemented T4.1, T4.2, T4.3, T4.4 and T4.5 (the details of T4.1, T4.2, and T4.5 are discussed in greater detail in deliverable D4.1 and D4.2). An updated and elaborated description of the work done in Tasks 4.1 to 4.5 will be provided in D4.3.

2.3 Introduction to deliverable

This deliverable reports on the associated code repositories, containing source code and instructions to set up and run the current version of the Open Circularity Platform and its demonstrator as part of the Onto-DESIDE Horizon Europe project.

3 Open Circularity Platform

The repositories at <https://github.com/KnowledgeOnWebScale/open-circularity-platform> and <https://github.com/SolidLabResearch/generic-data-viewer-react-admin> contain the implementation of an Open Circularity Platform and demonstration User Interface as part of the Onto-DESIDE Horizon Europe project. In this deliverable we demonstrate the Open Circularity Platform through a part of the electronics evaluation scenario, as described in [D6.8](#), via the User Interface. The setup

of the Open Circularity Platform is made reproducible by relying on Docker containers¹ and Docker Compose² for setting up the network locally that represents the Solid-based decentralized data sharing platform.

We set up the network with:

- multiple data providers each publishing their data behind a secure access layer using Solid pods,
- a Web UI to execute and visualize queries on these Solid pods.

The online demonstration is available at <https://onto-deside.ilabt.imec.be/viewer/>.

During setup, an administrative user generates and loads all data structured using the Resource Description Framework (RDF) into a Solid pod. For this purpose, he uses an RML mapping, including RML extensions, that describes the end-to-end pipeline from heterogeneous data to CEON-annotated RFD data with access control on a Solid pod. The Circular Economy Ontology Network (CEON) is developed in WP3 and described in detail in deliverable [D3.3](#) and the upcoming deliverable D3.4.

This RML mapping is executed by RMLMapper, including an implementation of the RML extensions. The specification of the RML extensions is available at <https://rml.io/specs/target/solid> & <https://rml.io/specs/target/dynamictarget>. Additionally, a Verifiable Credential envelope is created over the CEON-annotated RFD data. This Verifiable Credential envelope that allows verification using standard Verifiable Credential.

During usage, an end user browses to the Web UI which provides access to the Solid-based decentralized data-sharing platform. The Web UI provides – in a user-friendly way -- a set of predefined queries the user can execute over the Solid pods. The predefined queries can start from an index to transverse over an evolving set of query sources and can make use of variables to be filled in by the end user for more flexible querying. The Web UI also allows the end user to create, save and load custom queries.

All set-up instructions are available at <https://github.com/KnowledgeOnWebScale/open-circularity-platform>.


4 Blockchain-based data communication system

4.1 Blockchain-based system characteristics

In the Onto-Deside project, Circularise has worked on the development of a tool for data traceability for the electronics sector. This tool enables secure data sharing among stakeholders in the value chain, who communicate component information through the system. Having such a platform is of vital importance, given the high confidentiality and sensitivity of data within this industry. Companies need to share data to comply with regulations, however, not all data is required and the granularity up to which this data needs to be shared varies. The Circularise system provides a solution to this by securing data sharing, as well as enabling access control to each data point. Now actors can determine what is shared, up to what level, and with whom, at all times. This is done through a Digital Product Passport (DPP), created for each component, with the relevant data for the different actors, which are then shared throughout the network.

¹ <https://www.docker.com/resources/what-container/>

² <https://docs.docker.com/compose/>



Screenshot of the Circularise platform, supporting the traceability of a speaker.

4.2 Required criteria of software for the Onto-DESIDE project.

The supply chain traceability system underlying Circularises activities in the Onto-DESIDE project is a B2B platform focussed on the communication between stakeholders along a specific supply chain. The data is specific to the data needs of OEMs and consists of highly sensitive data types due to their key role in companies IP and competitive advantage e.g. material recipes and supplier selection. This has the advantage that the platform is fully focused on usability e.g. the possibility to analyse different supply chain steps and furthermore allows concrete fine-tuning of access rights to different types of supply chain partners. Analytics tools and very extensive DPPs that entail many additional optional chapters facilitating the production and analysis of materials e.g. technical data sheets on mechanic properties, LCA assessments, material composition etc. With this expanded DPP that goes beyond the requirements stated in the ESPR legislation, the Software as a Service system caters to companies' needs and puts. With this focus, Onto-DESIDE is able to test its new software on the newest legislative developments on the European level. The Circular Economy Action Plan and its detailed successor, the ESPR legislation specify the requirement for material and product information to be partially publicly available in order to strengthen consumer rights and support increased sustainability and accountability of producers. Access to data is only possible after several verification steps, e.g. the creation of a user account and the supply chain stakeholder specifically unlocking access to the supply chains data. This access is granted by every data-communicating partner on the basis of identifying individual actors they trust, with the future possible expansion to unlock identified providers of a category of value chain partners e.g. anyone who can officially identify as recycler or refurbisher.

The Onto-DESIDE project, by contrast, focuses on making data

- a) as openly available and usable as possible and
- b) focussed the data needs of not just companies but any humans, including consumers, public institutions, academia, and smaller circular economy providers enabling to close the loop (e.g. repair cafes, refurbishers)
- c) an encouraging mechanism for companies to share their sustainability efforts (with the hope to counterbalance recent downsizing of sustainability efforts of companies).

4.3 The software developed

Based on the requirements collected above, Circularise has developed a public Digital Product Passport (pDPP) platform. The pDPP is a separate new software platform that combines the need for detailed data communication between supply chain stakeholders to be able to provide a full picture while also focusing on a maximum level of accessibility of data. This combination of maximum accountability and maximum data availability is reflected by the software architecture, which builds on the blockchain-based system for reliable data with a user-friendly open overview of end user-targeted data points.

Onto-DESIDE is thus providing a publicly available version of the blockchain-verified DPPs, so stakeholders who are not on the supply chain internal system can be provided with data. Just as before, actors responsible for the data can assess what will be shared in these public versions, to avoid confidential data being released. The datasheets provided are called public DPPs and are easily accessible via this website or linked QR Code and a basic password set by the OEM of the product at display.

To help value chain actors satisfy compliance requirements and facilitate communication with their customers, Circularise developed this platform that can translate DPPs into a visually appealing mobile-first webpage. This platform is able to display any published DPP via browser and also provides multiple additional features, such as Google Analytics integration and an API.

On this website, Circularise's users can determine what data to share publicly. For example, share the sustainability metrics, dimensions, instruction guidelines, compliance with regulations, and other relevant details. This public version is not only for individuals, but also for, for example, recyclers and other EoL stakeholders, who are not necessarily in contact with OEMs, and thus are not part of their DPP network. Through this digital information, EoL operators can better dismantle products, recover resources and manage them for further uses (improve their decision-making on the best alternative for a second life, or for repair, refurbishment, or others). Additionally, recyclers can also determine the best recycling route based on the chemical composition, status and market demand shared via the page

The system does not only provide a pDPP of the full product, but smaller pDPPs for the different components and subcomponents linked to the overall pDPP of the product. In a cascading overview, users can click on specific components, subcomponents and materials to see their specific pDPP. The separate components and subcomponents unfold when clicking on the specific section on the data tree. This nested data model enables stakeholders to not only use a joint pDPP with data of all supply chain stages and components in a mixed version, but a stakeholder and component-specific view that differentiates not only between components but also between different tiers of the supply chain, enabling a clear overview in which subcomponent materials listed in the composition table are allocated. The pDPP entails the data from the Circularise platform that has been categorized as public, but it also enables stakeholders to add further supporting documents e.g. a sustainability report or other marketing material, as well as data for end users and smaller circularity providers e.g. information on a possible takeback process of the product or repair manuals.

Product

Speaker

Created03/12/2024, 10:55:09

ManufacturerSpeaker Manufacturer

Manufacturing siteDefault Site

LocationAddress_Austria_AT

Choose Smart Question list to display

All

Does it comply with REACH?

YES

REACH

REACH-statement.pdfDownload

Does it comply with RoHS?

YES

ROHS

RoHS-statement.pdfDownload

MSDS (Safety Data Sheet)

MaterialSafetyDataSheet.pdfDownload

Material Data Sheet

pcbRouterDataSheet.pdfDownload

EPD (Environmental Product Declaration)

EPD_Example.pdfDownload

Metals content

containsMetals

Yes

Rare Earth

rareEarthType

Multiple

Does it contain any Matrix additive?

No

Does it contain any Cores?

No

Does it contain any Laminates?

No

Does it contain any Pre-pregs?

No

Does it contain any Adhesives?

No

Does it have any Surface finish?

No

Chemical Properties

flameRetardancy

No

Chemical composition

Cellulose

(CAS: 009004-34-6)

>=40%

Nickel

(CAS: 7440-02-0)

<5%

Copper

(CAS: 7440-50-8)

<5%

Chromium

(CAS: 7440-47-3)

<0.4%

Manganese

(CAS: 7439-96-5)

<0.2%

Zinc

(CAS: 7440-66-6)

<0.26%

Iron

(CAS: 7439-89-6)

<60%

Titanium

(CAS: 7440-32-6)

<0.16%

Oxygen

(CAS: 7782-44-7)

0%

Nitrogen

(CAS: 7727-37-9)

0%

Neodymium

(CAS: CAS7440-00-8)

<33%

Dysprosium

(CAS: 7429-91-6)

<13%

Boron

(CAS: 7440-42-8)

<13%

Aluminum (elemental)

(CAS: 7429-90-5)

<99%

Magnesium

(CAS: 7439-95-4)

<13%

Bromide

(CAS: 024959-67-9)

0%

Niobium (Nb)

(CAS: 007440-03-1)

<1%

Silicon (Si)

(CAS: 007440-21-3)

<0.9%

Sourcing composition

Virgin

90 %

Pre-consumer recycled

5 %

Post-consumer recycled

5 %

Chain of Custody

Speaker

Aluminum coil

Aluminum basket

Cone

Electrical structure

Magnet

CIRCULARISE

Disclaimer: You are viewing demonstration environment meant for testing and not for business use; mock data in use.

© 2024. All rights reserved.

Screenshot of the public DPP of a speaker with the details traced in the Circularise's system.

Additionally, Circularise provides QR codes that encode direct links for every such passport. To support compliance with regulations, there is a need to include data carriers on the product, so any stakeholder receiving the product can use such data carriers to get all the details disclosed by the

manufacturer. For example, electronics components themselves will have a QR code on their surface (or on their package), which when scanned, will take the user directly to the website with all the details. This will facilitate the automation of processes and handling and classification of components and products during manufacturing or at the EoL.



Screenshot of the QR codes generated to access the speaker data. These lead to the (password-protected) DPP. In case of any issues with the access, please contact maria@circularise.com or teresa@circularise.com.

In the case of the Onto-DESIDE project, through these public DPPs stakeholders from the electronics sector who use Circularise's system to provide component information, do not need to worry about their data only being accessible by Circularise's users. The details can reach any actor who has the link to the website, or who can scan the QR code in the component or product. This will ensure compliance with the regulatory requirements of DPPs and overall value chain traceability. Additionally, it will support circularity practices, as EoL actors can access data on the composition, and the status of the component, and make more informed decisions.

By default, the passports are available to anyone without any access control. However, to cater to the different stakeholders' needs, a passphrase can be added on a per-DPP level to provide a basic authentication layer. This is to enable companies to easily share DPPs with certain actors, without the need to publish them for anyone to get free access.

For the Onto-DESIDE project, the pDPP platform has been connected via API with the Open Circularity Platform. The API enables the use of data on the Circularise pDPP in the OCP. This has been facilitated by building technology on the side of the OCP that allows for calls to the Circularise API and a joint data mapping exercise that ensures the ontology of both data sets is harmonized. After said harmonization, the data can now also be successfully displayed on the OCP. The availability of data from the Circularise pDPP system on the OCP enables cross-sectoral collaboration and the use of data in harmonization with data from other data sources. WP6 piloted a small example of an integrated use case where the construction, textile and electronics sectors collaborate in a possible scenario of dismantling a building and using all three product passports in conjunction via the OCP. The electronics sector is enabled by Circularise.

4.4 Public Blockchain Verifiability

Onto-DESIDE further improved traceability solutions concerning the public verifiability of data transactions. Supply chain stakeholders are dependent on receiving reliable data via the traceability platform. Business decisions are made trusting the integrity of the data and underlying audits and compliance are being assessed. In order to ensure the immutability of data claims (in the scope of

Onto-DESIDE and beyond), Circularise developed software to improve the verifiability of data claims with the help of a public blockchain. This software enables users to verify that a data claim has been made by a specific person on a specific date with a specified content. The public verifiability technology enables transparency on the integrity of such data claims and proof that data claims have not been altered since their initial creation.

5 User stories

[D6.8](#) describes the setup and results of one evaluation use case per domain (textile, construction and electronics). The user stories differ per domain, their setup and the supported features are identical.

5.1 Setup

Each actor can share data while maintaining control over who can access their data. These data can be heterogeneous in format (CSV, JSON, XML, SQL ...) and schema. Each actor has its own mapping file to describe which data is shared and how this data is translated to RDF data and semantically annotated using the CEON ontology as Global Schema.

Each actor stores their RDF data, split over different resources, in his Solid Pod, and adds a Verifiable Credential (VC) to each resource. The Actor manages the access to these resources in a local file.

The mapping file also describes how the data is split over different resources and stored on the actor's Solid Pod, and how the access rules are translated to RDF and added to the actor's Solid Pod.

We created one docker image to complete all needed process steps:

- generate RDF data
- split the RDF data into required subsets
- add a Verifiable Credential (VC) to the RDF subsets
- put the RDF subsets as resources on the Solid Pod
- add access rules to resources on the Solid Pod

Each actor announces their resources to the administrator of the (sub)network. The administrator adds these resources to an index file (stored locally in any format). The administrator adds this index file as RDF data in a dedicated resource on his Solid pod. Every participant in the network gets read access to this index file. The administrator can use the same process as described above, with mapping file and docker image.

Each actor can log into the [OCP](#) to retrieve data shared in the network. The data is retrieved by executing queries. The OCP can store predefined queries and has an option to write additional custom queries. The index files of the administrator can be used as a source for the query. The list of consulted sources is displayed in the OCP data viewer and includes a check on the VC. Per query a dropdown list with parameters can be predefined. The query results can be exported as a CSV file.

5.2 Features

5.2.1 Flexible support for heterogeneous systems

By using RML, we support heterogeneous data sources. We apply our proof-of-concept on top of tabular (CSV) data, however, we currently support:

- Local data sources:
 - Excel (.xlsx)
 - LibreOffice (.ods)
 - CSV files (including CSVW)
 - JSON files (JSONPath)
 - XML files (XPath)
- Remote data sources:
 - Relational databases (MySQL, PostgreSQL, Oracle, and SQLServer)
 - Web APIs with W3C Web of Things
 - SPARQL endpoints
 - Files resolved over HTTP (CSV files, JSON files (JSONPath), XML files (XPath))

Figure 4 shows an excerpt of source data, with data on products per room, that will be mapped to CEON-annotated RDF.

FIGURE 4 - SCREENSHOT OF THE CSV FILE CONTAINING DATA ABOUT PRODUCTS USED IN A BUILDING. THE DATA IS OWNED BY THE BUILDING OWNER AND STORED ON HIS LOCAL INFRASTRUCTURE. RMLMAPPER CONVERTS THIS DATA CONVERTED TO CEON-ANNOTATED RDF DATA AND ADDS IT TO THE POD OF THE BUILDING OWNER.

	A	B	C	D	E	F	G	H
1	space_id	space_label	element_id	element_label	element_installation_date	element_area_M2	element_model	component_of
2	room_1	office room no. 325	building_1-storey_3-room_1-nortec	used Nortec	14/03/2005	9000	Nortec_1234	
3	room_1	office room no. 325	building_1-storey_3-room_1-nortec-tiles	used Nortec tiles	14/03/2005	9000	tile_1234	building_1-storey_3-room_1-nortec
4	room_1	office room no. 325	building_1-storey_3-room_1-nortec-pedestals	used Nortec pedestals	14/03/2005	9000	pedestal_1234	building_1-storey_3-room_1-nortec

By using RML, we can showcase that the Open Circularity Platform can cope with multiple existing systems.

5.2.2 Access Control

In Solid the access is managed on resource level.

We developed and specified RML extensions to enable the description of the end-to-end pipeline from heterogeneous data sources to RDF resources on a Solid pod (i.e., Solid target vocabulary, Figure 5) and to enable the creation of fine-grained resources needed for fine-grained access management (i.e., dynamic targets, Figure 6).

FIGURE 5 - SOLID TARGET VOCABULARY ENABLES AN RML DESCRIPTION OF THE END-TO-END PIPELINE FROM HETEROGENEOUS DATA TO RESOURCES ON A SOLID POD. WHEN THE DATA OF ALL PRODUCTS IS SHARED AS ONE RESOURCE, ACCESS CAN BE GRANTED TO ALL PRODUCTS' DATA AT ONCE.





FIGURE 6 - DYNAMIC TARGETS ENABLE THE CREATION OF FINE-GRAINED RESOURCES NEEDED FOR FINE-GRAINED ACCESS CONTROL.

THE DYNAMIC CREATION OF RESOURCES PER PRODUCT ALLOWS FOR ACCESS CONTROL ON PRODUCT LEVEL



The extended RML cannot only describe the creation of RDF resources, but also the creation of auxiliary resources of the type Web Access Control, containing the access rules for the resource to which they are linked. This allows for access management via the infrastructure of the Actor. In Figure 7, you can find how access rules are described in a local csv file of an Actor.

FIGURE 5 - SCREENSHOT OF CSV FILE DESCRIBING THE ACCESS RULES TO 2 RESOURCES OF ONE ACTOR.

THIS FILE IS MAPPED TO RDF DATA AND ADDED TO THE SOLID POD OF THE ACTOR AS AUXILIARY WEB ACCESS CONTROL RESOURCES.

	A	B	C	D	E
1	access_to	agent_webid	read_access	write_access	control_access
2	product-JUY9242	https://onto-deside.ilabt.imec.be/css11/electronics_user1/profile/card#me	Yes	Yes	Yes
3	product-JUY9242	https://onto-deside.ilabt.imec.be/css11/electronics_user6/profile/card#me	Yes	No	No
4	index	https://onto-deside.ilabt.imec.be/css11/electronics_user1/profile/card#me	Yes	Yes	Yes
5	index	https://onto-deside.ilabt.imec.be/css11/electronics_user6/profile/card#me	Yes	No	No

By using Solid and extended RML we can showcase that the Open Circularity Platform allows for fine-grained access management.

5.2.3 Verifiability

We created Verifiable Credentials for each published data set so that the user of the data can verify that the data is genuine and unaltered. This results in a Verifiable Credential envelope over the existing CEON-annotated data, that allows verification using standard Verifiable Credential.

5.2.4 Scalable queries

Custom queries

It is possible to predefine SPARQL queries for the OCP, or to create custom queries in the Custom Query Editor (Figure 6) of the OCP. The custom queries can be optionally cloned from a predefined query, and the end user can save his custom queries to his Solid pod, and reload them to the OCP.

FIGURE 6 - SCREENSHOT OF THE CUSTOM QUERY EDITOR.

THIS CUSTOM QUERY IS CLONED FROM THE PREDEFINED QUERY WITH NAME 'COUNT'.

Templated queries

As required by the use case partners, the queries can be templated: they can include variables, whose values are selected by the end user from lists of parameters. Such a list of parameters can be a hardcoded list or the result of another predefined query. Figure 7 shows a parameter list of a templated query: the predefined variables query first fetches all relevant products in a certain use case, and after selecting a specific product, the query template is filled in to query all properties of a specific product.

FIGURE 7 - SCREENSHOT OF THE PARAMETER LIST OF A TEMPLATED QUERY.

Source index

The queries can be executed over a hardcoded list of sources or over indirect sources. In the latter case, the query sources are derived at execution time by a configurable link traversal query, starting from source, i.e. an index. Figure 8 shows the configuration of indirect query sources in the custom query editor.

FIGURE 8 - THE END USER CAN CONFIGURE A QUERY WITH INDIRECT QUERY SOURCES IN THE CUSTOM QUERY EDITOR

☒ Indirect sources

Index file URL *

https://onto-deside.ilabt.imec.be/css11/electronics_user9/ceon/index

Give the URL of the index file.

SPARQL query *

PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

```
SELECT ?object
WHERE {
  ?s rdfs:seeAlso ?object .
}
```

Give the SPARQL query to get the sources from the index file.

For the evaluation use cases, one index per domain was exposed by the Solid pod of the domain's administrative user, listing the indexes of actors participating in the Circular Value Network. These indexes of the participating actors contain a list of their data resources. This index mechanism secures a scalable configuration of queries over an evolving list of sources.

5.2.5 User-friendly view interface

End users can view the data in the OCP via a user-friendly interface, available at <https://onto-deside.ilabt.imec.be/viewer>, by selecting a predefined query or creating a custom query. The results are displayed in a tabular format, and can be exported to CSV. The user can also inspect and verify the query sources. The user will see only the publicly available data and, after logging in, the data to which he has been granted access.

6 Demonstration

We demonstrate how this Open Circularity Platform copes with multiple existing data sources, mapped to the CEON ontology, using a user-friendly User Interface, with different actors that have different authorization levels, and being able to verify that data is genuine and unaltered, to export query results, and to create, save and load custom queries.



The demo scenario is as follows:

- Browse to the preconfigured data viewer: <https://onto-deside.ilabt.imec.be/viewer/>
- Login as a speaker manufacturer:
 - Select identity provider (<https://onto-deside.ilabt.imec.be/css11/>)
 - Enter email (electronics_user6@example.com)
 - Enter password (electronics_user6)
 - Read CSS dialogue and Authorize
- Select a query group ("Evaluation June 2024 - Electronics")
 - Select a query ("Overview")
- View results
 - Focus on the number of results in the list and the number of sources
- Click the "i" next to "Sources"
 - Have a look at the list of the sources: a combination of index files and sources per product
 - Highlight that the results come from a combination of sources, with different levels of authorization
 - Click the "?" in the column "Verified" to verify the data
- Click on "EXPORT"
 - Save the query results as a CSV file
- Select another query ("Resilience of the supply chain of a product")
 - Highlight that this is a query template that the end-user can fill in
 - Select product label "Speaker"
 - Highlight that information is missing
- Navigate to local system, representing the infrastructure of the supplier of the electrical structure
 - Add the missing data to the file electronics_user1_data.csv
 - Highlight the file electronics_user1_acl.csv for managing access to Solid resources
 - Highlight the file electronics_user1_mapping.csv for the configuration of the publication pipeline
 - Execute the mapping pipeline
 - Return to the data viewer
- Select another query ("Resilience of the supply chain of a product")
 - Highlight that this is a query template that the end-user can fill in
 - Select product label "Speaker"
 - Highlight that all needed information is now available
- Click on "CLONE AS CUSTOM QUERY"
 - Adapt the query name, description and SPARQL query
 - Click on "CREATE QUERY"
- Select a query group ("Custom queries")
 - Select a query ("Resilience and rare earth content of the supply chain a product")
 - Select product label "Speaker"
 - Highlight the details added to the view due to the adapted SPARQL query
- Select "Dashboard"
 - Click on "SAVE ALL"
 - Highlight that saved custom queries can be reloaded at later use of the data viewer

- Logout
- Login as the supplier of the electrical structure
 - Select identity provider (<https://onto-deside.ilabt.imec.be/css11/>)
 - Enter email (electronics_user1@example.com)
 - Enter password (electronics_user1)
 - Read CSS dialogue and Authorize
- Select a query group ("Evaluation June 2024 - Electronics")
 - Select a query ("Overview")
- View results
 - Notice that you see a different set of results

7 Changes with respect to D4.5

Since the last deliverable, we updated the software in following ways:

- We updated the Open Circularity Platform, including the deployment of three evaluation scenarios, available at <https://onto-deside.ilabt.imec.be/viewer>, showcasing the practical viability of the platform in a cross-domain (incl. construction, electronics, and textile) setting, as described and discussed in [D6.8 \(T4.1-5\)](#).
- We released a first version of the specifications of the RML extensions to support direct interaction with the Solid pod and to support fine-grained access control (T4.1-3)
- We created a docker image to execute the mapping pipeline from heterogeneous to CEON-annotated RDF data with access control and verifiable credential on a Solid pod. This docker image includes the latest version of RMLMapping, including an implementation of the RML extensions. This docker image can be found at <https://cloud.ilabt.imec.be/index.php/s/KJmG96GkSY5zPdk>.
- We added a description of Circularise's public Digital Product Passport platform (T4.4).
- We added new features to the user-friendly User Interface (generic data viewer) (T4.5):
 - indirect query sources with link traversal over index files
 - indirect query parameters for templated queries
 - custom queries